EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	12	"3424957"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 16:32
S2	2	St and solder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 16:33
S3	4	S1 and solder\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 16:34
S4	13	"1425633"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 17:32
S5	4	("1425633" "2550748"). URPN.	USPAT	ADJ	ON	2008/10/14 17:33
S6	69	solder\$3 near1 pot same2 (spring or bias\$3)	USPAT	ADJ	ON	2008/10/14 17:33
S7	239	solder\$3 near (tip or iron) same (spring or compression or bias\$3)	USPAT	ADJ	ON	2008/10/14 17:48
S8	9	S7 and (pot)	USPAT	ADJ	ON	2008/10/14 17:48
S9	1065	solder\$3 near (tip or iron) same (spring or compression or bias\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 17:49
S10	9	S9 and (pot)	USPAT	ADJ	ON	2008/10/14 17:49

S11	43	S9 and (pot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 17:49
S12	277	(126/413).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/14 18:10
S13	147	(126/240).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/14 18:10
S14	4	(Milwertz).inv. and (solder\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 08:27
S15	38	solder with pot same3 (tin with zinc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 08:45
S16	268	solder same (tin with zinc) same ("%")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 09:04
S17	159	solder same (tin with zinc) with ("%")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 09:04
S18	2	EP-1112803-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 09:07
S19	174	solder pot with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 09:11
S20	24	solder pot same temperature with degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 09:18

S21	24	solder near1 pot same temperature with degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 09:51
S22	27	solder near2 pot same temperature with degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 10:35
S23	29	solder\$3 near2 pot same temperature with degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 10:35
S24	55	\$23 not \$21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 10:35
S25	336	solder\$3 pot same2 temperature with degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 10:36
S26	174	solder\$3 bath same2 temperature with degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 10:39
S27	105	solder\$3 bath same temperature with degree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 10:39
S28	2016	(capacitor) same2 (dielectric same electrode) with aluminum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 10:49
S29	138	(capacitor) same2 (dielectric same electrode) with aluminum same (polymer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 10:50

S30	31	("4910645" "5461537" "5914852" "6191013").PN. OR ("6375688").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/15 10:52
\$31	222	solder\$3 near (tip or iron) with rotat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; JBM_TDB	ADJ	ON	2008/10/15 15:47
S32	0	("2001/0045444").URPN.	USPAT	ADJ	ON	2008/10/15 15:49
S33	6	("3887904" "3917147" "4678886" "4805830" "4851614" "5525777").PN. OR ("6471109").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/15 15:49
S34	23	solder\$3 near (tip or iron) with (spin\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:18
S35	709	solder\$3 near (tip or iron) same (spin\$4 or rotat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:26
S36	891	solder\$3 near (tip or iron or head) same (spin\$4 or rotat \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:35
S37	205	solder\$3 near (head) same (spin\$4 or rotat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:35
S38	17650	(coater or spreader) same (rotat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:59
S39	9257	(coater or spreader) with (rotat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/15 16:59

S40	103	S39 and solder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:59
S41	3558	(coater) with (rotat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:02
S42	171	(coater) with (head or tip) with (rotat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:03
S43	84762	(rotat\$4) with (brush)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:08
S44	3188	rotatable brush	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:09
S45	3	rotatable brush with bond\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:09
S46	1064	(118/730).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/15 17:13
S47	2	("2774321").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/16 14:52
S48	1	("20060243777").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/16 14:53
S49	35	["20020163105" "20040022162" "20050136238" "20050136772" "3765047" "3946678" "3990623" "4118821" "4394785" "4625355" "4662022" "4607485" "6503615" "6604255" "6608116" PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	0 0	2008/10/16 14:55

S50	153	(rotat\$3 or spin\$4) with (solder\$3 near (head or tip))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:56
S51	646	(228/262.5,51,56.1).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/22 10:38
S52	22	(electric\$4 near capacitor or power near capacitor or dielectric\$4) same (pre \$1solder\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/28 17:02
S53	57	(electric\$4 near capacitor or power near capacitor or dielectric\$4) same2 (pre \$1solder\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/28 17:03
S54	35	S53 not S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/28 17:03
S55	1286	(electric\$4 near capacitor or power near capacitor or dielectric\$4) same (solder\$3) with (multiple or plurality or plural or two or few) with (coat\$4 or layer\$4 or film\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/28 17:06
S56	222	(electric\$4 near capacitor or power near capacitor or dielectric\$4) same (solder\$3) with (multiple or plurality or plural or two or few) with (coat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/28 17:06
S57	3	(US-4320437-\$).did. or (US- 3271642-\$ or US-3259816-\$). did.	USPAT; USOCR	ADJ	ON	2009/07/28 17:13
S58	33	("2528596" "2590650" "2597429" "3047762" "3090895" "3511680" "3558803" "3665269" "3857073" "3911384").PN. OR ("3259816" "3271642" "432043").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:13
S59	27	\$58 and (multiple or two or few or plural\$4 or multi\$4 or second)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:14
S60	3	S58 and (solder\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:19

S61	160	["2740732" "2749490" "3202892" "3271642" "3334002" "3654532" "385550" "3993811" "4190878" "4215385 "4229777" "4305111" "4320437" "4449163" "4490774" "4499520"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:19
		"4513949" "4515931" "4533710" "4584628" "4586111" "4613518" "4618911" "4647618" "4682655" "4728701" "4722515" "4728701" "4894393" "4919985" "4954371" "5018048" "5021298" "5032461" "5097800" "5280084").PN. OR ("2597429" "5019418" "5440446").URPN.				
S62	26	S61 and solder\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:20
S63	1811	(capacitor or dielectric) near2 (roll)	US-PGPUB; USPAT; USOOR	ADJ	ON	2009/07/28 17:25
S64	268	S63 and (solder\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:25
S65	92	\$64 and (multi\$4 or multiple or plural or plurality or two or second or double) near1 (layer \$3 or coat\$3 or film\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:26
S66	22	S63 and ((solder\$3) same (multi\$4 or multiple or plural or plurality or two or second or double) near1 (layer\$3 or coat\$3 or film\$3))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:27
S67	83	pre\$1solder\$3 with (benefi\$4 or improv\$4 or prevent\$4)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:37
S68	0	pre\$1solder\$3 same (jelly near roll or capacitor roll or dielectric roll)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:45
S69	0	pre\$1solder\$3 same (jelly near2 roll or capacitor near2 roll or dielectric near2 roll)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:45
S70	2	pre\$1solder\$3 same (capacitor element or dielectric element or jelly near2 roll or capacitor near2 roll or dielectric near2 roll)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:46
S71	726	pre\$1solder\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:49
S72	29031	(capacitor or dielectric or jelly) near (element or roll)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:49

S73	1486	S72 same (solder\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:49
S74	810	S73 same (multiple or multi or plural or plurality or second or first or two)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:50
S75	324	\$73 same (multiple or multi or plural or plurality or second or first or two) with (solder \$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/07/28 17:50
S76	447	(solder\$3) near2 (iron) same (automatic\$4 or automat\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/03 14:59
S77	651	(solder\$3) near2 (iron) same (automatic\$4 or automat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 14:59
S78	345	(solder\$3) near2 (iron) with (automatic\$4 or automat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 14:59
S79	2	"20010045444"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 17:33
S80	0	("2001/0045444").URPN.	USPAT	ADJ	ON	2009/12/03 17:33
S81	2	(solder\$3 near1 iron) same robot\$4 same pot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 17:35
S82	5	(solder\$3 near1 iron) with (automatic\$4) same pot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 17:36
S83	10	(solder\$3 near1 iron) same (automatic\$4) same pot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2009/12/03 17:38

S84	12	(solder\$3 near1 iron) same (automatic\$4 or robot\$4) same pot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 17:40
S85	21	(solder\$3 near1 iron) same (automatic\$4 or robot\$4) same2 pot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 17:40
S86	26	(solder\$3 near1 iron) same (automatic\$4 or robot\$4) and pot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 17:41
S87	27	(solder\$3 near2 iron) same (automatic\$4 or robot\$4) and pot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 17:47
S88	306	(228/51).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/03 17:49
S89	100	\$88 and (automatic\$4 or robot \$4 or machin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 17:49
S90	3	("3887904" "4678886" "4851614").PN. OR ("6290118").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/03 17:51
S91	4	("4678886").URPN.	USPAT	ADJ	ON	2009/12/03 17:58
S92	6	("3887904" "3917147" "4678886" "4805830" "4851614" "5525777").PN. OR ("6471109").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/03 17:59
S93	3573	(solder\$3 near2 iron) same (automat\$4 or robot\$3 or machin\$3 or computer\$3 or mechan\$4 or electric or electronic\$3 or motoriz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 11:03
S94	134	\$93 and (pot)	US-PGPUB; USPAT; USOCR; PPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 11:03

S95	30	["2891308" "2953290" "2298666" "3437252" "3652819" "3887904" "3917147" "4678886" "4805830" "4851614" "5525777").FN. OR ("3797725" "467886" "6471109").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/07 11:20
S96	2	S95 and pot	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/07 11: 2 3
S97	147	(126/240).OCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/07 11: 2 5
S98	1	("4595816").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/07 11:41
S99	139	(solder\$3 near2 (iron)) and (solder\$3 near3 (pot or container)) and (automat\$4 or robot\$4 or machin\$4 or electronic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 11:54
S100	1	(solder\$3 near2 (iron)) and (pre-tin\$4 near3 (pot or container)) and (automat\$4 or robot\$4 or machin\$4 or electronic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 12:13
S101	47	(solder\$3 near2 (iron)) and (pre-tin\$4) and (automat\$4 or robot\$4 or machin\$4 or electronic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 12:13
S102	27	(solder\$3 near2 (iron)) same (pre-tin\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 12:19
S103	35	(solder\$3 near2 (iron)) same (pre\$1tin\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 12:19

EAST Search History (Interference)

< This search history is empty>

12/7/2009 2:17:49 PM

C:\ Documents and Settings\ ebarry\ My Documents\ EAST\ Workspaces\ 10539276a.wsp